

(According to Regulation (EC) No. 1907/2006 (REACH)

LEMON OIL ARGENTINA Version : SDS/2013/02 Print Date: 22/4/2015

8008-56-8

284-515-8

2625

N/A

CAS No. (TSCA)

EINEC

FEMA No.

FDA No

CAS No. (EINEĆS)

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifiers

Product Code: RM0015

LEMON OIL ARGENTINA Product Name:

Botanical/Chemical Name: Citrus limon Molecular weight:

Molecular Formula: N/A CLP Reference number--Reach Registration number: Reach Pre Registration number:

Fragrance/Flavour application Application of the substance / preparation:

Manufacturer / Suuplier Details: A

Ultra International B.V

Malledijk 3H, 3208 LA Spijkenisse, (Loods 12-15) Netherlands

E-mail:ultra@ultranl.com

www.ultranl.com

Information in case of emergency:

Mr. Prasenjit Mazumdar Ph: +91 9810008844 Email: ultra@ultraintl.com

2. HAZARD IDENTIFICATION

Classification of the substance / preparation Classification according to Regulation (EC) No. 1272/2008 AH1, EH A1, EH C1, FL3, SCI2, SS1, H226-304-315-317-400-410

Classification according to Directive 67/548/EEC or 1999/45/EC Xn N R10-38-43-65-50/53

Label Elements

Label elements according to Regulation (EC) No. 1272/2008







Label elements according to Directive 67/548/EEC or 1999/45/EC



Classification system:

The classification is according to the latest editions of EU lists, and extended by company and literature data.

See section 16 for the wordings of listed R-, S- phrases, H-statements and Hazard codes.

3. COMPOSITION / INFORMATION OF INGREDIENTS

Product Description:

Essential Oil; UVCB; substance of biological origin with variable and partially unknown composition.

Hazard Impurities: Not Applicable

Content of R65 classified products: 90%

Dangerous components:

LIMONENE (CAS No 5989-27-5) Xi N, R10-38-43-50/53; Amount-60-75% PINENES (CAS No 127-91-3/80-56-8) Xn Xi N, R10-43-50/53-65; Amount: 2.5-15%

GAMMA-TERPINENE (CAS No 99-85-4) Xn, R10-65; Amount-2.5-10%

CITRAL (CAS No 5392-40-5) Xi, R38-43; Amount-1.0-2.5%

4. FIRST AID MEASURES

After Inhalation:

Shift affected person to fresh air and to be sure call for a doctor. In case of unconsciousness, place patient stably inside position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.

 After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water.
- After swallowing: Seek immediate medical attention.
- General Information:

Symptoms of poisoning may even occur after several hours: therefore medical observation for at least 48 hours after the accident.

Printed By: SAP Business One Page 1 of 5



(According to Regulation (EC) No. 1907/2006 (REACH)

LEMON OIL ARGENTINA Version: SDS/2013/02 Print Date: 22/4/2015

5. FIRE FIGHTING MEASURES

Extinguishing Media:

Carbon di oxide, powder or water spray, Fight larger fires with water spray or alcohol resistant foam. Do not use a direct water jet on burning material.

Special hazards arising from the substance/mixture

Specific hazards No data available

Precautions Do not smoke. Do not expose to a naked flame.

Advice to the fire-fighters

- Do not stay in dangerous zone without self-protective clothing and breathing apparatus. Spray extinguishing media directly into the base of fire.
- Cool containers exposed to flame with water.
- Prevent fire fighting water entering surface water/ground water.

6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions:

Wear protective equipment, keep unprotected persons away

Eliminate source of ignition, keep area well-ventilated and isolate the spill.

Environmental precautions

Prevent entry into drains, ground/surface water or sewerage system. Notify authorities if product enters sewers or public water.

- Methods and materials for containment and clean up Absorb with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust etc.)
 Dispose contaminated material as waste according to item 13.

 - Ensure adequate ventilation.

Reference to other sections

Refer to section 7, 8 &13

7. HANDLING AND STORAGE

Handling:

Technical Close packing after use, Reproduce labelling if transfer in another container

Precaution Avoid any useless exposure, keep away from food and drinks.

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and leaving.

Ensure good ventilation/exhaustion at the workplace.
Prevent entry into drains, ground/surface water or sewerage system
Wear protective clothings Take off contaminated clothing and wash before use.

Storage:

- Preserve only in containers of origin in a fresh place and broken down well.
- Keep the containers closed out of their use.

 Store away from foodstuff/oxidizing agent and incompatible materials

 Store in cool, dry conditions in well-sealed receptacles

Specific end use(s):

No data available

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Engineering controls should be used as the primary means to control exposures

Personal protective equipments

Skin protection Eye protection Body protection

Respiratory protection









Safety gloves

Tight safety goggles

Environmental exposure controls

Prevent entry into drains, ground/surface water or sewerage system.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form Liauid

Colour Colourless to green Odour Characteristic citrus odour

N/A

Odour Threshold

Change in Condition

Melting Point °C N/A Boiling Point ° C N/A

Printed By: SAP Business One Page 2 of 5



(According to Regulation (EC) No. 1907/2006 (REACH)

LEMON OIL ARGENTINA Version: SDS/2013/02 Print Date: 22/4/2015

Flash Point (Closed Cup) °C 50°C

Specific Gravity/Relative Density 0.845 - 0.860 @20℃ 1.468 - 1.480 @20°C Refractive Index

Vapour Density Vapour Pressure N/A

Solubility: A

> Water Insoluble

Alcohol 1:9 in 90% alcohol

Flammability N/A

Auto Ignition Temperature Not self igniting

Explosive Limits:

• Lower Explosion Limits 0.7 Vol% 6.1 Vol % • Upper Explosion Limits pH value N/A **Optical Rotation** +57° to +70° Surface Tension N/A **Partition Coefficient** N/A Granulometry N/A **Oxidising Properties** N/A

10. STABILITY AND REACTIVITY

Reactivity Not reactive, stable at room temperature.

Chemical stability Stable

Possibility of hazardous reactions Reactions with strong oxidizers

Conditions to avoid No decomposition if stored and handled properly Incompatible materials Avoid strong acids strong bases and all oxidising agents Hazardous decomposition products No dangerous decomposition products expected by intended us

11. TOXICOLOGICAL INFORMATION

Toxicological Information Acute

>5 gm/Kg bw (rat) No data available Inhalation >10 gm/Kg bw (rabbit) Skin Irritation/Corrosion No data available Eye irritation/Corrosion No data available Skin Sensitization No data available Respiratory sensitization No data available CMR Effects Carcinogen No data available Mutagen No data available

Reprotoxic No data available **Exposure Limits** No data available

Note: There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been established.

12. ECOLOGICAL INFORMATION

Toxicity

PNEC Oral No data available EC50 (48hrs) No data available LC50 (96hrs) No data available Persistence and degradability Not Determined Mobility in Soil Not Determined Results of PBT and vPvB assessment No data available Other adverse effects Not Determined

13. DISPOSAL CONSIDERATION

- Waste treatment methods:
- Product/packaging disposal Handle in accordance with official provisions
- Waste treatment options
- Recycling is preferred to disposal or burning
- Disposal conditions

Dispose of in accordance with all federal, state and local environmental regulations.

- Recommendations:
- Empty contaminated packing thoroughly as they may be recycled
- Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities

Printed By: SAP Business One Page 3 of 5



(According to Regulation (EC) No. 1907/2006 (REACH)

LEMON OIL ARGENTINA Version: SDS/2013/02 Print Date: 22/4/2015

14. TRANSPORT INFORMATION

Land Transport (ADK/RID/GGVSE)

UN Number 2319 DG Class
Packing Group
Proper Shipping Name
Classification code

Terpene Hydrocarbons (N.O.S.)

Sea Transport (IMDG-Code/GGVSE)

UN Number DG Class 2319 Packing Group

Proper Shipping Name Marine Pollutant Terpene Hydrocarbons (N.O.S.)

Air Transport (ICAO-TI/IATA-DGR)

2319 UN Number DG Class Packing Group Ш

Terpene Hydrocarbons (N.O.S.) Proper Shipping Name

ADR/IMDG/IATA Labels:



Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse. Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Other Information

Custom Tariff Code 3301.13.1000 EmS Code F-E, S-E

15. REGULATORY INFORMATION

EU regulations:
The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

WGK 3 Water Hazard Class (Germany): No data available Chemical safety Assessment

Other Regulations EPA

No **TSCA** Yes DSL Yes Preposition 65 No

16. OTHER INFORMATION

Abbreviations used:

EC EU European Commission European Union DG Dangerous Goods CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial chemical Substances GHS Globally Harmonized System

CMR Carcinogen, Mutagen, Reprotoxic Predicted No Effect Concentration PNEC EC50 Effective Concentration 50 percent LC50 Lethal Concentration 50 percent Persistent Bioaccumulative and Toxic PBT Very Persistent Very Bioaccumulative European Waste Catalogue vPvB EWC Emergency Medical Services **EmS**

ADR RID Transport of Dangerous Goods by Road

International Carriage of Dangerous Goods by Rail German Regulation on the Transport of Dangerous Goods by Road and Rail GGVSE

MDG

International Maritime Dangerous Goods International Civil Aviation Organization-Technical Instructions ICAO-TI IATA-DGR International Air Transport Association-Dangerous Goods Regulation

WGK Wassergefährdungsklassen **FPA** Environmental Protection Agency **TSCA** Toxic Substance Control Act DSL Dangerous Substance List

Relevant R- and S- phrases

FLAMMABLE R10 IRRITATING TO SKIN. R38

MAY CAUSE SENSITIZATION BY SKIN CONTACT. R43 HARMFUL:MAY CAUSE LUNG DAMAGE IF SWALLOWED. R65 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. R50/53

Printed By: SAP Business One Page 4 of 5



(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2013/02 LEMON OIL ARGENTINA Print Date : 22/4/2015

S24 AVOID CONTACT WITH SKIN.

\$61 AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/SAFETY DATA SHEET.

S62 IF SWALLOWED, DO NOT INDUCE VOMITTING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.

Relevant H-, P- Statements and Hazard Codes

H226 FLAMMABLE LIQUID AND VAPOUR

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H315 CAUSES SKIN IRRITATION

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H400 VERY TOXIC TO AQUATIC LIFE

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN

P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER

P370+378 IN CASE OF FIRE: USE ... FOR EXTINCTION

P403+235 STORE IN A WELL VENTILATED PLACE. KEEP COOL

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION)

FL 3 FLAMMABLE LIQUID 3
SCI 2 SKIN IRRITANT 2
SS 1 SKIN SENSITISATION 1

AH 1 ASPIRATION HAZARD CATEGORY 1
EH A1 ACUTE AQUATIC TOXICITY 1
EH C1 CHRONIC AQUATIC TOXICITY 1

Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.

Page 5 of 5 Printed By: SAP Business One