

according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : LAVANDIN OIL SUPER

SECTION 1: Identification of the substance/mixture and of the Company / undertaking

1.1	Product Identifiers		
	Product Code	:	RM0056
	Product Name	:	LAVANDIN OIL SUPER
	CAS No. (TSCA)	:	8022-15-9
	EINECS CAS Number	:	91722-69-9
	EINECS	:	294-470-6
	Reach Registration number	:	N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available Application of the substance / preparation: Flavour/Fragrance Application

1.3 Manufacturer / Supplier Details:

Ultra International B.V. Malledijk 3H, 3208 LA Spijkenisse, (Loods 12-15) Netherlands Email: ultra@ultranl.com * <u>www.ultranl.com</u>

1.4 Information in case of emergency:

Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : ultra@ultraintl.com Nationaal Vergiftigingen Informatie Centrum (NVIC) tel. Nr. 030 274 88 88, "Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen".

SECTION 2 : Hazard Idetification

2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008		
Skin Sens. 1	H317: May cause an allergic skin reaction	
Eye Irrit. 2A	H319: Causes serious eye irritation	
Aquatic Chronic 3	H412: Harmful to aquatic life with long-lasting effects	

2.2 Label Elements

Labeling according to Regulation (EC) No. 1272/2008 This product is classified and labeled accroding to the CLP regulation.

GHS Signal Word WARNING

Hazard Pictograms



Hazard Determining components of Labeling Linalool Linalyl acetate Camphor



Version : SDS/2013/03

Product Name : LAVANDIN OIL SUPER

Hazard Statements

H317 H319 H412	May cause an allergic skin reaction Causes serious eye irritation Harmful to aquatic life with long lasting effects
Precautionary Stateme	nts
P264	Wash thoroughly after handling
P302+350	IF ON SKIN Gently wash with soap and water
P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to $do - c$
P333+313	If skin irritation or a rash occurs: Get medical advice/attention
P501	Dispose of contents/container to (in accordance with local/regional/national/international regulation)

2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: Composition / Information of Ingredients

3.1 Chemical characterisation: Substance

TSCA CAS Number	:	8022-15-9
EINECS CAS Number	:	91722-69-9
Description	:	Lavandula hybrida
EINECS Number	:	294-470-6

3.2 Dangerous components:

LINALOOL (CAS No 78-70-6) ATO 5(2790),EDI 2A,EH A3,FL 4,SCI 2, H303,H319,H227,H315,H402; Amount: 25-37% LINALYL ACETATE (CAS No 115-95-7) EDI 2A,EH A3,FL 4,SCI 2, H319,H227,H315,H402; Amount: 35-47% CAMPHOR (CAS No 464-49-3) ATI 4, ATO 4, EH A3,FS 2,STO-SE 2; H332,H302,H228,H371,H402; Amount: 3.5-6.5%

3.3 Additional Informations :

For the wordings of listed H statements refer to section 16

SECTION 4 : First AID Measures

4.1 Description of first aid measures

General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product. After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. *After skin contact:* Immediately wash with water and soap and rinse thoroughly. *After eye contact:* Rinse opened eye for several minutes under running water. *After swallowing:* Do not induce vomiting; call for medical help immediately.

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3** *Indication of any immediate medical attention and special treatment needed No further relevant information available.*



according to 1907/2006/EC, Article 31

Version : SDS/2013/03

Product Name : LAVANDIN OIL SUPER

SECTION 5 : Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. *For safety reasons unsuitable extinguishing agents:* Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling personal protection equipment see point 8.

Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges.



according to 1907/2006/EC, Article 31

Version : SDS/2013/03

Product Name : LAVANDIN OIL SUPER

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Provde solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from oxidising agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Storage class: 3 Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No Data Available

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves Eve protection:



Tightly sealed goggles according to EN 166:2001 Body protection: Protective work clothing



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : LAVANDIN OIL SUPER

General Information		
Form	:	Liquid
Colour	:	Pale yellow to yellow
Odour	:	Characteristic
Odour Threshold	:	N/A
Change in Condition		
Melting Point °C	:	N/A
Boiling Point ° C	:	N/A
Flash Point (Closed Cup) °C	:	76°C
Specific Gravity/Relative Density	:	0.882 - 0.896 @25°C
Refractive Index	:	1.456 - 1.466 @20°C
Vapour Density	:	N/A
Vapour Pressure	:	N/A
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Flammability	:	N/A
Auto Ignition Temperature	:	N/A
Explosive Limits		
Lower Explosion Limits	:	N/A
Upper Explosion Limits	:	N/A
pH value	:	N/A
Optical Rotation	:	-10° to -3°
Surface Tension	:	N/A
Partition Coefficient	:	N/A
Granulometry	:	N/A
Oxidising Properties	:	N/A
Viscosity	:	N/A

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: Heating causes vaporisation and formation of ignitable atmosphere is possible.

10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). Reacts violently with oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.



Version : SDS/2013/03

Product Name : LAVANDIN OIL SUPER SECTION 11: Toxicological information 11.1 Toxicological Information Acute Oral 4250 mg/kg bw (rat) Inhalation No data available Skin >5000 mg/kg bw

 11.2 Exposure Limits
 No data available

 Note : There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

SE	CTION 12: Ecological information	n
12.1	Toxicity PNEC Oral EC50 (48hrs) LC50 (96hrs)	No data available No data available No data available
12.2	Persistence and degradability	Not Determined
12.3	Mobility in Soil	Not Determined
12.4	Results of PBT and vPvB assessment	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods: Product/packaging disposal Handle in accordance with official provisions Waste treatment options Recycling is preferred to disposal or burning Disposal conditions Dispose of in accordance with all federal, state and local environmental regulations.

13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities

SECTION 14: Transport information

14.1 Land Transport (ADR/RID/GGVSE)

UN Number	Not regulated
DG Class	N/A
Packing Group	N/A
Proper Shipping Name	N/A
Classification code	N/A
Danger Label	N/A



Version : SDS/2013/03		
Product Name : LAVANDIN OIL SUPER		
14.2 Sea Transport (IMDG-Code/GGVSE)		
UN Number	Not regulated	
DG Class	N/A	
Packing Group	N/A	
Proper Shipping Name	N/A	
Marine Pollutant	N/A	
Danger Label	N/A	

14.3 Air Transport (ICAO-TI/IATA-DGR	9
UN Number	Not regulated
DG Class	N/A
Packing Group	N/A
Proper Shipping Name	N/A
Danger Label	N/A

14.4 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Prevent entry into drains, ground/surface water or sewerage system.

14.5 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code $N\!/\!A$

14.6 Other Information	
Custom Tariff Code	3301.29.7900
EmS Code	

SECTION 15: Regulatory information

15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/Ordinance on Hazardous Materials.

15.2 W	Vater Hazard Class (Germany):	WGK 2
15.3 C	Themical safety Assessment	No data available
15.4 0	Other regulations, limitations and prohib	oitive regulations
E	<i>PA</i>	No
T	'SCA	No
D	<i>SL</i>	No
Р	reposition 65	No

Comply with the rules and regulations of skin protection.



Version : SDS/2013/03 Product Name : LAVANDIN OIL SUPER

SECTION 16: Other information		
Abbreviations used:		
EC	European Commission	
EU	European Union	
DG	Dangerous Goods	
CAS	Chemical Abstract Service	
EINECS	European Inventory of Existing Commercial chemical Substances	
GHS	Globally Harmonized System	
CMR	Carcinogen, Mutagen, Reprotoxic	
PNEC	Predicted No Effect Concentration	
EC50	Effective Concentration 50 percent	
LC50	Lethal Concentration 50 percent	
PBT	Persistent Bioaccumulative and Toxic	
vPvB	Very Persistent Very Bioaccumulative	
EWC	European Waste Catalogue	
EmS	Emergency Medical Services	
ADR	Transport of Dangerous Goods by Road	
RID	International Carriage of Dangerous Goods by Rail	
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail	
MDG	International Maritime Dangerous Goods	
ICAO-TI	International Civil Aviation Organization-Technical Instructions	
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation	
WGK	Wassergefährdungsklassen	
EPA	Environmental Protection Agency	
TSCA	Toxic Substance Control Act	
DSL	Dangerous Substance List	

Relevant Phrases

- H227 Combustible liquidH302 Harmful if swallowed
- H303 May be harmful if swallowed
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H371 May cause damage to organs
- H402 Harmful to aquatic life

Recommended restriction of use For industrial application only.

Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.