

1.1

Safety data sheet according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : MACE OIL Print Date : 12/3/2016

SECTION 1: Identification of the substance/mixture and of the Company/undertaking

Product Identifiers		
Product Code	:	RM0091
Product Name	:	MACE OIL
CAS No. (TSCA)	:	8007-12-3
EINECS	:	282-013-3
Reach Registration	numb	er: N/A
Reach Pre Registra	tion n	umber: N/A

1.2 Relevant idetified uses of the substance or mixture and uses advided against No further relevant information available Application of the substance / preparation: Flavours/ Fragrance Application

1.3 Manufacturer / Supplier Details:

Ultra International B.V.

Malledijk 3H, 3208 LA Spijkenisse, (Loods 12-15) Netherlands Email: ultra@ultranl.com * <u>www.ultranl.com</u>

1.4 Information in case of emergency:

Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : ultra@ultraintl.com

SECTION 2 : Hazard Idetification

2.1 Classification of the substance / preparation

Pegulation (EC) No. 1272/2008
H226: Flammable liquid and vapour
H303: May be harmful if swallowed
H304: May be fatal if swallowed and enters airways
H315: Causes skin irritation
H317: May cause an allergic skin reaction
H319: Causes serious eye irritation
H341: Suspected of causing genetic defects
H350: May cause cancer
H400: Very toxic to aquatic life
H410: Very toxic to aquatic life with long-lasting effects

2.2 Label Elements

Labeling according to Regulation (EC) No. 1272/2008 This product is classified and labeled accroding to the CLP regulation.

GHS Signal Word DANGER

Hazard Pictograms



Harand Determining components of L

Hazard Determining components of Labeling

alpha-Pinene Myrcene

Hazard Statements

Flammable liquid and vapour
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Suspected of causing genetic defects
May cause cancer
Very toxic to aquatic life with long lasting effects
ents
Keep away from heat/sparks/open flames/hot surfaces - No smoking
Keep container tightly closed
Avoid breathing dust/fume/gas/mist/vapours/spray
Avoid release to the environment
Wear protective gloves/protective clothing/eye protection/face protection
Do NOT induce vomiting
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Dispose of contents/container to ... (in accordance with local/regional/national/international regulation)

P405 P501

2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: Composition / Information of Ingredients

Store locked up

3.1 Chemical characterisation: Substance

TSCA CAS Number	:	8007-12-3
EINECS CAS Number	:	N/A
Description	:	Myristica fragrans
EINECS Number	:	282-013-3

3.2 Dangerous components:

ALPHA PINENE (CAS No 80-56-8) AH 1,ATO 5(3500),FL 3,SCI 2,SS 1B, H304,H303,H226,H315,H317 Amount:15-20% MYRCENE (CAS No 123-35-3) AH 1,EDI 2A,FL 3,SCI 2, H304,H319,H226,H315; Amount: 1.5-2.0%

3.3 Additional Informations :

For the wordings of listed H statements refer to section 16



Version : SDS/2013/03 Product Name : MACE OIL

SECTION 4 : First AID Measures

4.1 Description of first aid measures

General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product. After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. *After skin contact:* Immediately wash with water and soap and rinse thoroughly. *After eye contact:* Rinse opened eye for several minutes under running water. *After swallowing:* Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5 : Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. *For safety reasons unsuitable extinguishing agents:* Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.
Additional information
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Print Date : 12/3/2016



Version : SDS/2013/03 Product Name : MACE OIL

Print Date : 12/3/2016

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling personal protection equipment see point 8.

Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

 Requirements to be met by storerooms and receptacles:

 Store only in unopened original receptacles.

 Provde solvent resistant, sealed floor.

 Information about storage in one common storage facility: Store away from oxidising agents.

 Further information about storage conditions:

 Keep container tightly sealed.

 Store in cool, dry conditions in well sealed receptacles.

 Storage class: 3

 Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No Data Available



Version : SDS/2013/03 Product Name : MACE OIL

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves

Eye protection:



Tightly sealed goggles according to EN 166:2001 Body protection: Protective work clothing



Version : SDS/2013/03 Product Name : MACE OIL

SECTION 9: Physical and chemical properties

Print Date : 12/3/2016

~	1 1	
General Information		
Form	:	Liquid
Colour	:	Colourless to Pale yellow
Odour	:	Characteristic
Odour Threshold	:	N/A
Change in Condition		
Melting Point °C	:	N/A
Boiling Point ° C	:	N/A
Flash Point (Closed Cup) °C	:	45°C
Specific Gravity/Relative Density	:	0.880 - 0.930 @25°C
Refractive Index	:	1.474 - 1.488 @20°C
Vapour Density	:	N/A
Vapour Pressure	:	N/A
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Flammability	:	Flammable
Auto Ignition Temperature	:	N/A
Explosive Limits		
Lower Explosion Limits	:	N/A
Upper Explosion Limits	:	N/A
pH value	:	N/A
Optical Rotation	:	$+2^{\circ}to$ $+30^{\circ}$
Surface Tension	:	N/A
Partition Coefficient	:	N/A
Granulometry	:	N/A
Oxidising Properties	:	N/A
Viscosity	:	N/A

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: Heating causes vaporisation and formation of ignitable atmosphere is possible.

10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition

- *is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). Reacts violently with oxidising agents.*
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.



Version : SDS/2013/03 Product Name : MACE OIL Print Date : 12/3/2016

SECTION	11: To	xicologi	cal infor	mation

11.1	Toxicological Information Acute		
	Oral	No data available	
	Inhalation	No data available	
	Skin	No data available	

 11.2 Exposure Limits
 No data available

 Note : There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

SECTION 12: Ecological information			
12.1	Toxicity		
	PNEC Oral	No data available	
	EC50 (48hrs)	No data available	
	LC50 (96hrs)	No data available	
12.2	Persistence and degradability	Not Determined	
12.3	Mobility in Soil	Not Determined	
12.4	Results of PBT and vPvB assessment	No data avialable	

SECTION 13: Disposal considerations

13.1 Waste treatment methods:
Product/packaging disposal
Handle in accordance with official provisions
Waste treatment options
Recycling is preferred to disposal or burning
Disposal conditions
Dispose of in accordance with all federal, state and local environmental regulations.

13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities

SECTION 14: Transport information



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 **Product Name : MACE OIL**

14.1 Land Transport (ADR/RID/GGVSE)	
UN Number	1197
DG Class	3
Packing Group	111
Proper Shipping Name	Extracts, Flavouring, Liquid
Classification code	3Y
14.2 Sea Transport (IMDG-Code/GGVSE)	
UN Number	1197
DG Class	3
Packing Group	111
Proper Shipping Name	Extracts, Flavouring, Liquid
Marine Pollutant	N/A
14.3 Air Transport (ICAO-TI/IATA-DGR)	
UN Number	1197
DG Class	3
Packing Group	III

ADR/IMDG/IATA Labels:



14.4 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Safety data sheet

Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according N/A	to Annex II of MARPOL 73/78 and the IBC Code
Other Information	
Custom Tariff Code	3301.29.4100
EmS Code	-
SECTION 15: Regulatory in	formation
5.1 EU regulations: The product has been classifie	ed and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.3 Chemical safety Assessment No data available 15.4 Other regulations, limitations and prohibitive regulations **EPA** No

TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection.



Version : SDS/2013/03 Product Name : MACE OIL

SECTION 16: Other information

16.1 Abbreviations used:			
EC	European Commission		
EU	European Union		
DG	Dangerous Goods		
CAS	Chemical Abstract Service		
EINECS	European Inventory of Existing Commercial chemical Substances		
GHS	Globally Harmonized System		
CMR	Carcinogen, Mutagen, Reprotoxic		
PNEC	Predicted No Effect Concentration		
EC50	Effective Concentration 50 percent		
LC50	Lethal Concentration 50 percent		
PBT	Persistent Bioaccumulative and Toxic		
vPvB	Very Persistent Very Bioaccumulative		
EWC	European Waste Catalogue		
EmS	Emergency Medical Services		
ADR	Transport of Dangerous Goods by Road		
RID	International Carriage of Dangerous Goods by Rail		
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail		
MDG	International Maritime Dangerous Goods		
ICAO-TI	International Civil Aviation Organization-Technical Instructions		
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation		
WGK	Wassergefährdungsklassen		
EPA	Environmental Protection Agency		
TSCA	Toxic Substance Control Act		
DSL	Dangerous Substance List		

16.2 Labelling in accordance with Directive 67/548/EEC

Symbols



R-Phrases

R10	Flammable
R38	Irritating to skin
R43	May cause sensitisation by skin contact
R45	May cause cancer
R65	Harmful: may cause lung damage if swallowed
R68	Possible risk of irreversible effects
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S-Phrases

S24	Avoid contact with skin
S45	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)
S53	Avoid exposure - obtain special instructions before use
S61	Avoid release to the environment. Refer to special instructions/safety data sheet
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible



Print Date : 12/3/2016

16.3 Full text of the H-Statement used in Section -3. (follow the link)

http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords hs ps en.xls>

16.4 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.