

according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA Print Date : 17/5/2018

SECTION 1: Identification of the substance/mixture and of the Company/undertaking

- 1.1 **Product Identifiers Product** Code RM0033 • PEPERMINT OIL TASMANIA **Product** Name : CAS No. (TSCA) 8006-90-4 : **EINECS** 282-015-4 : **Reach Registration number:** N/A Reach Pre Registration number: N/A
- 1.2 Relevant idetified uses of the substance or mixture and uses advided against No further relevant information available Application of the substance / preparation: Fragrance & Flavour Application
- 1.3 Manufacturer / Supplier Details: Ultra International (Far East) Pte Ltd.
 31, Cantonment Road, Singapore - 089747 Email: ultrasg@ultraintl.com * <u>www.ultranl.com</u>
- 1.4 Information in case of emergency: Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : pmazumdar@goldengrovenaturals.com

SECTION 2 : Hazard Idetification

2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 12/2/2008		
Asp. Tox. 1	H304: May be fatal if swallowed and enters airways	
Skin Irrit. 2	H315: Causes skin irritation	
Skin Sens. 1	H317: May cause an allergic skin reaction	
Eye Irrit. 2A	H319: Causes serious eye irritation	
Aquatic Acute 2	H401: Toxic to aquatic life	
Aquatic Chronic 2	H411: Toxic to aquatic life with long-lasting effects	

2.2 Label Elements

Labeling according to Regulation (EC) No. 1272/2008 This product is classified and labeled accroding to the CLP regulation.

GHS Signal Word DANGER

Hazard Pictograms



Hazard Determining components of Labeling Limonene alpha Pinene beta Pinene



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA Print Date : 17/5/2018

Hazard Statements

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

P103	Read label before use
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+350	IF ON SKIN: Gently wash with soap and water
P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - c
P332+313	If skin irritation occurs: Get medical advice/attention
P403+233	Store in a well ventilated place. Keep container tightly closed
P501	Dispose of contents/container to (in accordance with local/regional/national/international regulation)
ther Hazard	

2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: Composition / Information of Ingredients

3.1 Chemical characterisation: Substance

TSCA CAS Number	:	8006-90-4
EINECS CAS Number	:	98306-02-6
Description	:	Mentha piperita
EINECS Number	:	282-015-4

3.2 Dangerous components:

LIMONENE (CAS No 5989-27-5) AH 1,EH A1,EH C1,FL 3,SCI 2,SS 1B;H304,H226,H315,H317,H410; Amount: 1.0 - 3.0% ALPHA PINENE (CAS No. 80-56-8); AH 1,ATO 5,FL 3,SCI 2,SS 1B, H304,H303,H226,H315,H317; Amount:<1.0% BETA PINENE (CAS No. 127-91-3) AH 1,FL 3,SCI 2,SS 1B, H304,H226,H315,H317; Amount: <1.5%

3.3 Additional Informations :

For the wordings of listed H statements refer to section 16



according to 1907/2006/EC, Article 31

Version : SDS/2013/03

Product Name : PEPERMINT OIL TASMANIA

Print Date : 17/5/2018

SECTION 4 : First AID Measures

4.1 Description of first aid measures

General information: If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product. After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5 : Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. *For safety reasons unsuitable extinguishing agents:* Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device. **Additional information** Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the servage

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.



according to 1907/2006/EC, Article 31

Version : SDS/2013/03

Product Name : PEPERMINT OIL TASMANIA

Print Date : 17/5/2018

SECTION 6: Accidental Release Measures

6.1 *Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.*

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling** personal protection equipment see point 8.

Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

 Storage:

 Requirements to be met by storerooms and receptacles:

 Store only in unopened original receptacles.

 Provde solvent resistant, sealed floor.

 Information about storage in one common storage facility: Store away from oxidising agents.

 Further information about storage conditions:

 Keep container tightly sealed.

 Store in cool, dry conditions in well sealed receptacles.

 Storage class: 3

 Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No Data Available



according to 1907/2006/EC, Article 31

Version : SDS/2013/03

Product Name : PEPERMINT OIL TASMANIA

Print Date : 17/5/2018

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation *Material of gloves*

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves

Eye protection:



Tightly sealed goggles according to EN 166:2001 Body protection: Protective work clothing



SECTION 9. Physical and chemical propertie

Safety data sheet

according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA

General Information		
Form	:	Liquid
Colour	:	Colourless to pale yellow
Odour	:	Characteristic
Odour Threshold	:	N/A
Change in Condition		
Melting Point °C	:	N/A
Boiling Point ° C	:	N/A
Flash Point (Closed Cup) °C	:	74°C
Specific Gravity/Relative Density	:	0.855-0.945 @25℃
Refractive Index	:	1.387-1.533 @20℃
Vapour Density	:	N/A
Vapour Pressure	:	N/A
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Flammability	:	N/A
Auto Ignition Temperature	:	N/A
Explosive Limits		
Lower Explosion Limits	:	N/A
Upper Explosion Limits	:	N/A
pH value	:	N/A
Optical Rotation	:	N/A
Surface Tension	:	N/A
Partition Coefficient	:	N/A
Granulometry	:	N/A
Oxidising Properties	:	N/A
Viscosity	:	Not estimated

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: Heating causes vaporisation and formation of ignitable atmosphere is possible.

10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition possible for moistened solids (e.g. cloth, pulp, filter panels, binder).

- *is possible for moistened solids (e.g. cloth, Reacts violently with oxidising agents.*
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.

Print Date : 17/5/2018



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA Print Date : 17/5/2018

otherwise been

Product Name : PEPERMINT OIL TASMANIA	

	5	cute
	Oral	No data available
i	Inhalation	No data available
2	Skin	No data available
1.2	Exposure Limits	No data available
1	Note : There is a blanket	recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not

	PNEC Oral	No data available
	EC50 (48hrs)	No data available
	LC50 (96hrs)	No data available
12.2	Persistence and degradability	Not Determined
12.3	Mobility in Soil	Not Determined
12.4	Results of PBT and vPvB assessment	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

 Product/packaging disposal

 Handle in accordance with official provisions

 Waste treatment options

 Recycling is preferred to disposal or burning

 Disposal conditions

 Dispose of in accordance with all federal, state and local environmental regulations.

13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities

SECTION 14: Transport information



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA Print Date : 17/5/2018

14.1 Land Transport (ADR/RID/GGVSE)	
UN Number	3082
DG Class	9
Packing Group	III
Proper Shipping Name	Environmentally Hazardous Substance, Liquid
Classification code	3Z
14.2 Sea Transport (IMDG-Code/GGVSE)	
UN Number	3082
DG Class	9
Packing Group	III
Proper Shipping Name	Environmentally Hazardous Substance, Liquid
Marine Pollutant	Yes
14.3 Air Transport (ICAO-TI/IATA-DGR)	
UN Number	3082
DG Class	9
Packing Group	111

ADR/IMDG/IATA Labels:



14.4 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
N/A			
Other Information			
Custom Tariff Code	3301.29.4100		
EmS Code			

SECTION 15: Regulatory information

15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.2 Water Hazard Class (Germany):	N/A
15.3 Chemical safety Assessment	No data available
15.4 Other regulations, limitations and pro	phibitive regulations

EPA	No
TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection.



according to 1907/2006/EC, Article 31

Version : SDS/2013/03 Product Name : PEPERMINT OIL TASMANIA Print Date : 17/5/2018

SECTION 16: Other information

16.1 Abbreviations used:	
European Commission	
European Union	
Dangerous Goods	
Chemical Abstract Service	
European Inventory of Existing Commercial chemical Substances	
Globally Harmonized System	
Carcinogen, Mutagen, Reprotoxic	
Predicted No Effect Concentration	
Effective Concentration 50 percent	
Lethal Concentration 50 percent	
Persistent Bioaccumulative and Toxic	
Very Persistent Very Bioaccumulative	
European Waste Catalogue	
Emergency Medical Services	
Transport of Dangerous Goods by Road	
International Carriage of Dangerous Goods by Rail	
German Regulation on the Transport of Dangerous Goods by Road and Rail	
International Maritime Dangerous Goods	
International Civil Aviation Organization-Technical Instructions	
International Air Transport Association-Dangerous Goods Regulation	
Wassergefährdungsklassen	
Environmental Protection Agency	
Toxic Substance Control Act	
Dangerous Substance List	

16.2 Full text of the H-Statement used in Section -3. (follow the link)

<http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords hs ps en.xls>

16.3 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.