

Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

SECTION 1: Identification of the substance/mixture and of the Company / undertaking

1.1	Product Identifiers				
	Product Code	:	UIL100093		
	Product Name	:	SPEARMINT OIL		
	CAS No. (TSCA)	:	8008-79-5		
	EINECS	:	283-656-2		

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available Application of the substance / preparation: Fragrance & Flavour Application

1.3 Manufacturer / Supplier Details: Ultra International Limited 64/1, Site-IV, Industrial Area, Sahibabad, Ghaziabad, U.P. (India) Tel.: +91 120 4388500 Fax: +91 120 4374000 Email: ultra@ultraintl.com * www.ultrainterntional.com_

1.4 Information in case of emergency: Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : ultra@ultraintl.com

SECTION 2 : Hazard Idetification

2.1 Classification of the substance / preparation

Asp. Tox. 1	H304: May be fatal if swallowed and enters airways
Skin Irrit. 2	H315: Causes skin irritation
Skin Sens. 1	H317: May cause an allergic skin reaction
Aquatic Chronic 2	H411: Toxic to aquatic life with long-lasting effects

2.2 Label Elements GHS Signal Word DANGER

Hazard Pictograms





Hazard Determining components of Labeling

L-Carvone Myrcene D-Limonene

Hazard Statements



Safety data sheet

(according to 1907/2006/EC, Article 31)

Version : SDS/2013/03 Product Name : SPEARMINT OIL

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary Statem	<i>ients</i>
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or doctor/physician
P301+310	IF SWALLOWED Immediately call a POISON CENTER or doctor/physician
P303+361+353	IF ON SKIN (or hair) Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P333+313	If skin irritation or a rash occurs Get medical advice/attention
P501	Dispose of contents/container to (In accordance with local / regional / national / international regulation)

2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: Composition / Information of Ingredients

. . .

...

3.1 Chemical characterisation: Substance

-	0		
	TSCA CAS Number	:	8008-79-5
	EINECS CAS Number	:	84696-51-5
	Description	:	Mentha spicata
	EINECS Number	:	283-656-2

3.2 Dangerous components:

l-Carvone (CAS No 6485-40-1) ATD 5(3800),EH A3,SS 1B-H313,H317,H402 Limonene (CAS No.5989-27-5) AH 1,EH A1,EH C1,FL 3,SCI 2,SS 1B-H304,H226,H315,H317,H410 Myrcene (CAS No 123-35-3) AH 1,EDI 2A,FL 3,SCI 2, H304,H319,H226,H315

3.3 Additional Informations :

For the wordings of listed H statements refer to section 16

SECTION 4: First AID Measures

4.1 Description of first aid measures

General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product. After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. *After skin contact:* Immediately wash with water and soap and rinse thoroughly. *After eye contact:* Rinse opened eye for several minutes under running water. *After swallowing:* Do not induce vomiting; call for medical help immediately.

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3** *Indication of any immediate medical attention and special treatment needed No further relevant information available.*



Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

SECTION 5 : Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.
Additional information
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp.
Water and cleansing agent
Absorb with incombustible liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

SECTION 7: Handling and storage 7.1 Precautions for safe handling personal protection equipment see point 8. Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Provde solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from oxidising agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Storage class: 3 Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No data available.



Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves Eve protection:



Tightly sealed goggles according to EN 166:2001 Body protection: Protective work clothing



Safety data sheet

(according to 1907/2006/EC, Article 31)

Version : SDS/2013/03 Product Name : SPEARMINT OIL

SECTION 9: Physical and chemical properties

Print Date : 6/3/2018

×	-	
General Information		
Form	:	Liquid
Colour	:	Colourless,pale yellow or greenish yellow
Odour	:	characteristic of spearmint
Odour Threshold	:	N/A
Change in Condition		
Melting Point •C	:	N/A
Boiling Point • C	:	N/A
Flash Point (Closed Cup) •C	:	Ca. 58°C
Specific Gravity/Relative Density	:	0.917 - 0.934 @20°C
Refractive Index	:	1.484 - 1.491 @20°C
Vapour Density	:	N/A
Vapour Pressure	:	N/A
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Flammability	:	N/A
Auto Ignition Temperature	:	N/A
Explosive Limits		
Lower Explosion Limits	:	N/A
Upper Explosion Limits	:	N/A
pH value	:	N/A
Optical Rotation	:	N/A
Surface Tension	:	N/A
Partition Coefficient	:	N/A
Granulometry	:	N/A
Oxidising Properties	:	N/A
Viscosity	:	N/A

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: Heating causes vaporisation and formation of ignitable atmosphere is possible.

10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible.

Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder).

Reacts violently with oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.



Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

1.1 Toxicological Infor	ation Acute		
Oral 5.00 gm/kg			
Inhalation	No data available		
Skin	>5.00 gm/kg		
1.2 Exposure Limits	No data available		
-	No data available ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed		
-			
-			
Note : There is a blo	ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed		
-	ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed		
Note : There is a blo SECTION 12: Ecolo	ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed		
Note : There is a blo SECTION 12: Ecolo	ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed		
Note : There is a blo SECTION 12: Ecolo 2.1 Toxicity	ket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise bed ical information		

12.2	I ersisience und degradubility	Noi Determineu
12.3	Mobility in Soil	Not Determined
12.4	Results of PBT and vPvB assessment	No data available
12.4	Other adverse effects	Not Determined

SECTION 13: Disposal con	nsidera	tions
--------------------------	---------	-------

13.1 Waste treatment methods:

Product/packaging disposalHandle in accordance with official provisionsWaste treatment optionsRecycling is preferred to disposal or burningDisposal conditionsDispose of in accordance with all federal, state and local environmental regulations.

13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities



SECTION 14. T

Safety data sheet (according to 1907/2006/EC, Article 31)

Version : SDS/2013/03 Product Name : SPEARMINT OIL Print Date : 6/3/2018

14.1 Land Transport (ADR/RID/GGV	VSE)	
UN Number	1169	
DG Class	3	
Packing Group	III	
Proper Shipping Name	Extracts, Aromatic, Liquid	
Classification code	3Y	
14.2 Sea Transport (IMDG-Code/GG	VSE)	
UN Number	1169	
DG Class	3	
Packing Group	III	
Proper Shipping Name	Extracts, Aromatic, Liquid	
Marine Pollutant	Yes	
14.3 Air Transport (ICAO-TI/IATA-	DGR)	
UN Number	1169	
DG Class	3	
Packing Group	III	

14.4 ADR/IMDG/IATA Labels:



14.5 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse. Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code				
N/A				
Other Information				
Custom Tariff Code	3301.25.1000			
EmS Code				

SECTION 15: Regulatory information

15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.2	Water 1	Hazard	Class	(Germany):	N/A

15.3 Chemical safety Assessment No data available

15.4 Other regulations, limitations and prohibitive regulations

EPA	No
TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection. Comply with the rules and regulations of respiratory protection.



Version : SDS/2013/03 Product Name : SPEARMINT OIL

SECTION 16: Other information

Print Date : 6/3/2018

reviations us	ed:		
EC	European Commission		
EU	European Union		
DG	Dangerous Goods		
CAS	Chemical Abstract Service		
EINECS	European Inventory of Existing Commercial chemical Substances		
GHS	Globally Harmonized System		
CMR	Carcinogen, Mutagen, Reprotoxic		
PNEC	Predicted No Effect Concentration		
EC50	Effective Concentration 50 percent		
LC50	Lethal Concentration 50 percent		
PBT	Persistent Bioaccumulative and Toxic		
vPvB	Very Persistent Very Bioaccumulative		
EWC	European Waste Catalogue		
EmS	Emergency Medical Services		
ADR	Transport of Dangerous Goods by Road		
RID	International Carriage of Dangerous Goods by Rail		
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rai		
MDG	International Maritime Dangerous Goods		
ICAO-TI	International Civil Aviation Organization-Technical Instructions		
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation		
WGK	Wassergefährdungsklassen		
EPA	Environmental Protection Agency		
TSCA	Toxic Substance Control Act		
DSL	Dangerous Substance List		
Relevant Phrases			

H304	:	May be fatal if swallowed and enters airways
------	---	--

- H315 Causes skin irritation :
- H317 May cause an allergic skin reaction :
- Toxic to aquatic life with long lasting effects H411 :

Recommended restriction of use : For industrial application only

Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.